| S12 | 0 | S9 and (recover\$ and fail\$) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:06 |
|------------|------|--|--|------|------|------------------|
| S13 | :10 | S5 and (transfer with (parallel or simultaneously)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:47 |
| S14 | 1 | S13 and (backup or archiv\$) and @ad<"20001206" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:08 |
| S15 | 4122 | logs with (parallel or simultaneously) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:08 |
| S16 | 172 | S15 and (transfer with (parallel or simultaneously)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:08 |
| S17 | 51 | S16 and (fail\$ or corrupt\$) | US-PGPUB; USPAT; EPO; JPO; DERWENT; | OR | ON . | 2004/11/16 16:26 |
| S18 | 28 | S17 and @ad<"20001206" | IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:36 |
| S19 | 9 | S18 and (backup or archiv\$) and @ad<"20001206" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2004/11/15 11:17 |
| S20 | 624 | (backup or archiv\$) and (transfer\$ with (parallel or synchroniz\$)) and detect\$ and (fail\$ or corrupt\$) and log | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 15:44 |
| S21 | 308 | S20 and @ad<"20001206" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:47 |

| | | | , | | , | |
|------------|------|---|---|----|------|------------------|
| S22 | 30 | S21 and (log with (backup or archiv\$)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:39 |
| S23 | 30 | S21 and (logs with (backup or archiv\$)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 15:38 |
| S24 | 43 | S21 and (logs same (backup or archiv\$)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2004/11/15 11:41 |
| S25 | 4 | S21 and (logs adj (backup or archiv\$)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ÖR | ON | 2004/11/15 11:44 |
| S26 | 4407 | (simultaneourly or parallel) and ((fail\$ or corrupt\$) with (backup or archiv\$)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:46 |
| S27 | 4424 | (simultaneourly or parallel) and((fail\$ or corrupt\$ or missing) with (backup or archiv\$)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 15:38 |
| S28 | 272 | (simultaneourly or parallel) and ((fail\$ or corrupt\$ or missingor detect\$) adj files) and (backup or archiv\$) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 15:21 |
| S29 | 158 | S28 and @ad<"20001206" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:53 |
| S30 | 21 | S29 and (transfer with (parallel or simultaneously)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:48 |
| S31 | 57 | S29 and asynchronous | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:48 |

| S32 | 17 | S31 and ((transfer\$ or send\$3 or deliver\$ or transmit\$) with (parallel or simultaneously)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:51 |
|------|--|---|---|----|----|------------------|
| S33 | 157 | (logs with (backup or archiv\$)) and ((transfer\$ or send\$3 or deliver\$ or transmit\$) with (parallel or simultaneously)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:52 |
| S34 | 13 | S28 and S33 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:53 |
| *S35 | 11 | S34 and @ad<"20001206" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 15:37 |
| S36 | 45 | S33 and recover\$ and (corrupt\$ or fail\$) and @ad<"20001206" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 14:23 |
| S37 | 26 | S36 and asynchronous | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 14:23 |
| S38 | . 2 | "6085298".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 15:35 |
| S39 | 82936 | (compar\$ or determine or identif\$) with (missing or corrupt\$ or fail\$) | US-PGPUB; USPAT; EPO; JPO; | OR | ON | 2004/11/15 16:16 |
| | West of the second seco | | DERWENT; IBM_TDB | | | |
| S40 | 4272 | S39 and (backup or archiv\$) and recover\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 15:37 |
| S41 | 2121 | S40 and @ad<"20001206" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 16:18 |

| S42 | 438 | S27 and S41 | US-PGPUB; USPAT; EPO; JPO; DERWENT; | OR | ON | 2004/11/15 15:38 |
|-----|--------|---|--|----|----|------------------|
| S43 | .3 | S23 and S42 and asynchronous | IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 15:39 |
| S44 | 4 | S23 and S42 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 15:39 |
| S45 | 37 | S20 and S42 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ΘR | ON | 2004/11/15 15:44 |
| S46 | 25 | S45 and (fail\$ with recover\$) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 15:45 |
| S47 | 16 | S45 and (fail\$ adj recover\$) | US-PGPUB; USPAT; EPO; JPO; DERWENT; | | ON | 2004/11/15 15:45 |
| S48 | 2922 | (compar\$ or determine or identif\$) with (missing or corrupt\$ or fail\$ or error or loss) with file | IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 16:16 |
| S49 | 22 | (compar\$ or determine or identif\$) adj (missing or corrupt\$ or fail\$ or error or loss) adj file | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ŌR | ON | 2004/11/15 16:17 |
| S50 | 9 | S49 and (backup or archiv\$ or recover\$) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 16:17 |
| S51 | 7 | S50 and @ad<"20001206" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/16 16:14 |

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-----------|------|---|--|---------------------|-----------------|------------------|
| L1 | 14 | "5812398" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON THE STATE OF | 2004/11/16 16:14 |
| L2 | 2 | "5812398".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/16 16:15 |
| L3 | 4126 | logs with (parallel or simultaneously) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/16 16:26 |
| L4 | 172 | L3 and (transfer with (parallel or simultaneously)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/16 16:26 |
| L5 | 5 | L4 and (fail\$ or corrupt\$) and (707/200).ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; _IBM_TDB | OR | ON | 2004/11/16 16:27 |
| L6 | 5 | L4 and (fail\$ or corrupt\$) and (707/202).ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/16 16:27 |
| ĹŹ | 8 | L4 and (fail\$ or corrupt\$) and (707/203).ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/16 16:27 |
| L8 | 2 | L4 and (fail\$ or corrupt\$) and (707/204).ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/16 16:27 |
| S1 | 0 | "752607".apn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 10:33 |

| S2 | 2 | "6065018".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 10:35 |
|------------|-----|---|---|----|------|------------------|
| S3 | 898 | logs near transfer\$ | US-PGPUB; | OR | ON | 2004/11/15 10:36 |
| | | | USPAT; EPO; JPO; DERWENT; IBM_TDB | | | |
| S4 | 468 | logs near (parallel or simultaneously) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 10:36 |
| S 5 | 225 | logs adj (parallel or simultaneously) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:08 |
| S6 | 410 | logs adj (fail\$ or corrupt\$) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:05 |
| S7 | 4 | S5 and S6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 10:38 |
| S8 | 4 | S7 and @ad<"20001206" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:08 |
| S9 | 27 | S5 and S3 and @ad<"20001206" | US-PGPUB; | OR | ON . | 2004/11/15 11:04 |
| | | | USPAT; EPO; JPO; | | | |
| | | | DERWENT; IBM_TDB | | | |
| S10 | 3 | S9 and (fail\$ or corrupt\$) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 11:08 |
| S11 | 0 | S9 and (recover\$ and corrupt\$) | US-PGPUB; USPAT; EPO; JPO; DERWENT; ĪBM_TDB | OR | ON | 2004/11/15 11:05 |



Web Images Groups News Froogle more »

backup asynchronous parallel fail cron restore

Search Advanced Search Preferences

Web Results 1 - 10 of about 153 for backup asynchronous parallel fail cron restore corrupt. (0.42 seconds)

Frequently Asked Questions

... to maximize spindle utilization (in **parallel**) and reduce ... Oracle can work with **asynchronous** remote mirroring as long ... ONE tool to manage your **backup** and recovery ... otn.oracle.com/deploy/availability/htdocs/9ifaq.html - 93k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Oracle8 Parallel Fail Safe

File Format: PDF/Adobe Acrobat - View as HTML

... Oracle8i **Parallel Fail** Safe is Oracle's premier high availability solution. ... **Backup**Performance Management User & Security Management Database Routine ...
otn.oracle.com/docs/deploy/availability/pdf/a86065.pdf - Supplemental Result - Similar pages

High Availability FAQ

... to maximize spindle utilization (in **parallel**) and reduce ... Oracle can work with **asynchronous** remote mirroring as ... guarantee that the third-party **backup** tool will ... www.oracle.com/technology/ deploy/availability/htdocs/hafaq.html - 101k - Nov 16, 2004 - Cached - Similar pages

#101945: SunOS 5.4: Kernel update

... of file at inode x" messages during **backup** 1206384 fscanf ... on non-existent fs 1170832 (gnu) make in **parallel** mode will ... (from 102020-01) 1151364 **asynchronous** I/O ... sunsolve.sun.com/search/document. do?assetkey=urn:cds:docid:1-21-101945-64-1 - 96k - Cached - Similar pages

What problems were fixed by the UnixWare 7.1.1 Maintenance Pack 2? driver to allow some third party backup software to ... Cannot print by using parallel port to Epson LP ... If doing an asynchronous connect, calling getsockopt() to ... wdb1.sco.com/kb/showta?taid=118502&sid= - 84k - Cached - Similar pages

iTechDocs Master Index

... TCP/IP Directed Boot Configuration Adding **Parallel** Printers at ... 8-port and 128-port **Asynchronous** Adapter Configuration ... Error "tape not in **backup** format" Error ... ibm.rjenk.com/ibmcd/hataht/ind.htm - 53k - Supplemental Result - <u>Cached</u> - <u>Similar pages</u>

[PS] CDF/DOC/COMP UPG/5413

File Format: Adobe PostScript - View as Text

... ffl set out of bound breaks are **asynchronous**, but takes room in TCP/IP ... ffl SLA specific: **parallel restore?** ... Don't these need to be tuned with **backup** interval. ... home.fnal.gov/~stdenis/doc/notes247_v101.ps - Similar pages

MACHINE SPECIFIC NOTES FOR INFORMIX DYNAMIC SERVER 7.31.FD4 ...

... 4. Kernel **Asynchronous** I/O (KAIO) is supported on ... floppy driver fix PHKL_21276 1.0 Superio **Parallel** driver fixes ... 21C Storage Dimensions: 8-mm Tape **Backup** 5 rev ... www-306.ibm.com/software/data/informix/ pubs/library/notes/machnote/hp/mn_ids_731ud4-hp64.txt - 60k - Cached - Similar pages

All patches

... vfs_mountroot 100028: Printers on 3-80 **parallel** port lock ... files 100550: OBSOLETED by 100533 100551: **Backup**-Copilot 1.0 ... 2: static libc.a missing **asynchronous** I/O ... thproxy.jinr.ru/file-archive/doc/sun/all-patches.html - 101k - <u>Cached</u> - <u>Similar pages</u>

Patch-ID# 101777-72 Keywords: Amdahl A+Edition kernel kadb libc ...
... Solaris 2.3, you can't backup your system ... 1150807 panic from using SPIF parallel in program ... 1144685 CTEspiff tcdrain() returns asynchronous, shouldn't return ... sunsite.bilkent.edu.tr/pub/ sun-info/sun-patches/101777.readme - 101k - Cached - Similar pages

G0000000081e >
Result Page: 1 2 3 4 5 6 7 8 9 Next

Free! Google Desktop Search: Search your own computer.

backup asynchronous parallel fail cr

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google



Web Images Groups News Froogle more »

backup asynchronous parallel fail rsync cron re



Web Results 1 - 10 of about 24 for backup asynchronous parallel fail rsync cron restore corrupt. (0.75 sec

Service Manager's Guide to SMG-p Systems

... bos.rte.aio, **Asynchronous** I/O Extension. ... bos.sysmgt.sysbr, System **Backup** and BOS Install Utilities. ... devices.common.IBM.ppa.diag, Common **Parallel** Printer Adapter ... www-psg.cites.uiuc.edu/guide.html - 101k - Cached - Similar pages

[PDF] Linux Dictionary

File Format: PDF/Adobe Acrobat - View as HTML

Page 1. Linux Dictionary Version 0.11 Author: Binh Nguyen < linuxfilesystem(

at)yahoo(dot)com(dot)au> Editor: Sam Varghese <sam(at)gnubies ...

www.novaglobal.com.sg/ documentation/Linux-Dictionary.pdf - Similar pages

[PS] This is the title page of the Networking Manual. The Manual can be ...

File Format: Adobe PostScript - View as Text

... ML machine room hosts. The asynchronous ports on mlmr-a3-ts are connected

to two patch panels in rack R3. Thepatch panels are ML ...

www.scd.ucar.edu/nets/docs/netdoc/netdoc.ps - Similar pages

[PS] TrinityOS: A Guide to Cono/guring Your Linux Server for ...

File Format: Adobe PostScript - View as Text

... 248 25.8 Running Sendmail as a daemon or as a cron job ... 2) port serial / (1) parallel -

COM3 - IRQ ... SDD: Seagate ST39173N 9GB (20Mb/s) (ID: 3) - dd backup of SDA. ...

btp2xi.phy.uni-bayreuth.de/ archive/manuals/it/Software/TrinityOS.ps - Supplemental Result - Similar pages

[PS] MySQL Reference Manual

File Format: Adobe PostScript - View as Text

... 221 4.4.2 BACKUP TABLE Syntax 222 4.4.3 RESTORE TABLE Syntax

www.cvc.mun.ca/software/mysql/doc/mysql.ps - Similar pages

[PS] Linux Dictionary Version 0.16 Author: Binh Nguyen

File Format: Adobe PostScript - View as Text

... options From Whatis-Extensionshttp://www.tldp.org/LDP/Linux-Dictionary/html/index.

html .BRZ DbBRZ file for very large Db backup or restore From Whatis ...

www.pantek.com/library/linux/LDP/ LDP/Linux-Dictionary/Linux-Dictionary.ps.gz - Similar pages

[PS] Linux Dictionary Version 0.12 Author: Binh Nguyen

File Format: Adobe PostScript - View as Text

... In video, a signal is asynchronous when its timing differs from that of the ... Deluser

can optionally remove and backup the user's home directory and mail spool ...

public.planetmirror.com/pub/ldp/ LDP/Linux-Dictionary/Linux-Dictionary.ps.gz - Supplemental Result -

Similar pages

[PS] Python Library Reference

File Format: Adobe PostScript - View as Text

... 340 11.22 asyncore — **Asynchronous** socket handler ... applied to the items of all lists in **parallel**; if a ... be initialized more than once, and may **fail** in arbitrary ...

www.ia-stud.hiof.no/~rolando/PL/Python/Doc/lib.ps - Supplemental Result - Similar pages

www.ia-stud.nior.no/~rolando/PL/Python/Doc/lib.ps - Supplemental Result - Similar pages

[PS] Python Library Reference


File Format: Adobe PostScript - <u>View as Text</u> ... 48611.24 asynchat — **Asynchronous** socket command/response handler ... the items of all lists in **parallel**; if a ... initializedmore than once, and may **fail** in arbitrary ... www.cise.ufl.edu/help/software/doc/Python/lib.ps - <u>Similar pages</u>

[RTF] rtf1\ansi\deff0 {\fonttbl{\f2\fnil\fcharset0 Courier New;} {\f1 ...} File Format: Rich Text Format - \format \ Siew as \text{HTML} ... I ID_BACKUP_45_BASICS}{\fldrslt 12.9 \text{Backup Basics}}\tqr\tldot ... I ID_PLIP}{\fldrslt 19.14 \text{Parallel Line IP ... I ID_MIRRORS_45_RSYNC}{\fldrslt A.8 \text{rsync sites}}\tqr ... ftp.us.xemacs.org/ftp/pub/ freebsd/doc/handbook/book.rtf.gz - \text{Similar pages}

In order to show you the most relevant results, we have omitted some entries very similar to the 10 already displayed.

If you like, you can repeat the search with the omitted results included.

Free! Get the Google Toolbar. Download Now - About Toolbar



backup asynchronous parallel fail rs

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google